STANDARD MACHINERY

PRODUCT DATASHEET

Generated on 27 Oct 2026

Electric Wire Rope Winch – 5 HP, 32 RPM, Made in Korea (Slow-Speed High-Pull, Refurbished)

BRAND NOT MENTION

SKU
SM-WINCH-KR-5HP32

CATEGORY
Winch, Hoist & Chain Block

● In Stock

Chat on WhatsApp

Request pricing and availability on WhatsApp with the product details pre-filled.

- ✓ Electric wire rope winch, Made in Korea
- ✓ 5 HP three-phase motor
- ✓ Slow 32 RPM drum speed for strong, controlled pulling power
- ✓ 440 V, 50/60 Hz — runs directly on Indian supply
- ✓ Wire rope drum supplied with rope
- ✓ Welded steel base frame — ready to bolt down
- ✓ Fully refurbished, repainted and tested
- ✓ For pulling, hoisting, hauling and positioning heavy loads
- ✓ Imported and reconditioned by Standard Machinery

Technical Specifications

Manufacturer	Brand Not Mention
SKU	SM-WINCH-KR-5HP32
Equipment Type	Electric Wire Rope Winch
Origin	Made in Korea
Mounting	Welded steel base frame
Condition	Imported, Refurbished & Tested
Rated Power	5 HP
Type	3-Phase Induction

Voltage	440 V
Frequency	50 / 60 Hz
Output Speed	32 RPM

Product Description

This is an imported, fully refurbished **electric wire rope winch**, **Made in Korea** — a **5 HP** three-phase motor driving a wire rope drum at a slow **32 RPM** for very strong pulling power. Mounted on a steel base frame and supplied with wire rope, it is ready for pulling, hoisting and hauling duty. Supplied by Standard Machinery, Bhavnagar, for buyers across India and export markets.

Overview

The winch uses a motor coupled to a gear reduction that turns the drum at about **32 RPM**. This low drum speed means the winch trades speed for **high pulling force** — ideal for dragging, lifting and positioning heavy loads in a slow, controlled way. The drum comes wound with wire rope, and the whole unit is mounted on a welded steel base ready to bolt down. Built in Korea and fully reconditioned, it offers strong value against a new winch.

Construction

- Made-in-Korea 5 HP three-phase motor
- Gear reduction to a slow, high-pull drum speed of ~32 RPM
- Wire rope drum, supplied with rope
- Welded steel base frame for bolt-down mounting
- Fully cleaned, repainted and tested

Power Supply

This is a three-phase winch rated for **440 V, 50/60 Hz**, so it runs directly on Indian supply with no frequency issue. Confirm the starter and protection before installation.

Applications

- Pulling and dragging heavy loads
- Hoisting and lowering (with suitable rigging)
- Workshop, yard and fabrication handling
- Construction, marine and salvage winching
- Slow, controlled material positioning

Industries Served

Fabrication and workshops, construction and infrastructure, shipyards and marine, heavy engineering, and material-handling operations.

Why Buy This Winch

- Very slow 32 RPM drum speed gives strong, controlled pulling power
- Rugged Made-in-Korea motor and build
- Base-mounted and supplied with wire rope — ready to install
- Runs directly on Indian 440 V supply
- Fully refurbished and repainted; strong value versus new

Important — Safety & Verification

- For any lifting or man-riding use, have the line pull / safe working load and wire rope inspected and certified by a competent person before use.
- Match the wire rope, sheaves and controls to your load and application.
- Confirm the starter and protection before installation.

Frequently Asked Questions

What is this winch used for?

Pulling, dragging, hoisting and positioning heavy loads in workshops, yards, construction and marine work.

Why is 32 RPM useful?

A very low drum speed means the winch pulls slowly but with high force and good control — well suited to heavy loads.

Is it ready to mount?

Yes. It is on a welded steel base and comes with the drum wound with wire rope.

Will it run on Indian power?

Yes. It is a 3-phase, 440 V, 50/60 Hz winch, so it runs directly on Indian supply.

How much can it pull?

Line pull depends on the gear ratio and rope layer. Share your requirement and we will confirm suitability.

Do you supply across India and for export?

Yes. Standard Machinery supplies pan-India and to export markets including Africa, the Middle East and Southeast Asia.

Interested in this winch? Contact Standard Machinery for the pulling capacity and rope details.

Compatibility

- **Power supply:** 440 V, 3-phase, 50/60 Hz — runs directly on Indian supply.
- **Starter:** DOL / star-delta / soft starter suitable for a 5 HP motor.
- **Protection:** overload plus phase-failure protection.
- **Rigging:** match wire rope, sheaves and anchoring to your load; verify line pull / SWL before lifting use.
- **Mounting:** bolt the steel base to a rigid, level foundation able to take the pulling reaction.

Standard Machinery

NEAR IMAMWADA OPP SIDI TAKIYA, NATHWALI SHERI, Bhavnagar, Gujarat, 364001, India

Phone: 8866669293

Email: info@standardmachinery.store

GSTIN: 24AIVPB7954RIZA

PAN: AIVPB754R

The information in this datasheet is provided for reference only. Specifications may change without prior notice.

© 2026 Standard Machinery. All rights reserved.